

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 2    | metal foil with radial\$6 with ("one piece" or single near2 (construction or sheet or foil))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:32 |
| L2    | 11   | metal foil with radial\$6 with honeycomb  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:34 |
| L3    | 14   | metal foil with radial\$6 with cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:36 |
| L4    | 0    | metal foil near5 radial\$5 near5 exhaust near5 cataly\$6 near5 contour\$6                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L5    | 86   | metal foil near5 contour\$5   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L6    | 0    | metal foil near5 contour\$5 same cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L7    | 7    | metal foil near5 contour\$5 and cataly\$6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:43 |
| L8    | 57   | metal foil same contour\$5 and cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:54 |
| L9    | 875  | metal foil near5 (circular or circle or disc or circumferen\$5 or round)                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:55 |
| L10   | 44   | metal foil near5 (circular or circle or disc or circumferen\$5 or round) and cataly\$6            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:59 |
| L11   | 56   | metal foil near5 (circular or circle or disc or circumferen\$5 or round) near5 (hole or aperture) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:59 |

## EAST Search History

| Ref # | Hits | Search Query  | DBs   | Default Operator | Plurals | Time Stamp       |
|-------|------|---|---|------------------|---------|------------------|
| L1    | 2    | metal foil with radial\$6 with ("one piece" or single near2 (construction or sheet or foil))      | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:32 |
| L2    | 11   | metal foil with radial\$6 with honeycomb  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:34 |
| L3    | 14   | metal foil with radial\$6 with cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:36 |
| L4    | 0    | metal foil near5 radial\$5 near5 exhaust near5 cataly\$6 near5 contour\$6                         | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L5    | 86   | metal foil near5 contour\$5   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L6    | 0    | metal foil near5 contour\$5 same cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:37 |
| L7    | 7    | metal foil near5 contour\$5 and cataly\$6   | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 07:43 |
| L8    | 57   | metal foil same contour\$5 and cataly\$6  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:54 |
| L9    | 875  | metal foil near5 (circular or circle or disc or circumferen\$5 or round)                          | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:55 |
| L10   | 44   | metal foil near5 (circular or circle or disc or circumferen\$5 or round) and cataly\$6            | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 08:59 |
| L11   | 56   | metal foil near5 (circular or circle or disc or circumferen\$5 or round) near5 (hole or aperture) | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ              | ON      | 2006/11/28 09:07 |

## EAST Search History

|     |    |  |   |     |     |                  |
|-----|----|--|---|-----|-----|------------------|
| L12 | 10 | ((("5215724") or ("6277784") or ("5795658") or ("5902558") or ("5809776"))).PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR  | OFF | 2006/11/28 09:08 |
| L13 | 39 | ("2267918"   "3087233"   "3161478"   "3306353"   "3904551"   "4062807"   "4064914"   "4183896"   "4301012"   "4329162"   "4515758"   "4652286"   "4662915"   "4687579"   "4725411"   "4732593"   "4758272"   "4760047"   "4847230"   "4889630"   "4971769"   "4981172"   "5009857"   "5062263").PN. OR ("5215724").URPN. | US-PGPUB;<br>USPAT;<br>USOCR                | ADJ | ON  | 2006/11/28 09:15 |
| L14 | 9  | "5902558"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ | ON  | 2006/11/28 09:16 |
| L15 | 9  | "5902558"  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | ADJ | ON  | 2006/11/28 09:16 |
| L16 | 19 | ((("5916530") or ("5902558") or ("5768889") or ("5865864") or ("5983692") or ("6528454") or ("6397588") or ("6365283") or ("6571458"))).PN.  | US-PGPUB;<br>USPAT;<br>EPO; JPO;<br>DERWENT | OR  | OFF | 2006/11/28 09:19 |

Day : Tuesday  
Date: 11/28/2006


**PALM INTRANET**

Time: 07:06:47

**Inventor Name Search Result**

Your Search was:

Last Name = BRUCK

First Name = ROLF

| Application#    | Patent#        | Status | Date Filed | Title   | Inventor Name |
|-----------------|----------------|--------|------------|---|---------------|
| <u>05973900</u> | <u>4301240</u> | 150    | 12/28/1978 | PHOTOGRAPHIC SILVER HALIDE MATERIAL WITH CROSS-LINKED PARTICULATE ACRYLIC OR METHACRYLIC POLYMER  | BRUCK, ROLF   |
| <u>06149496</u> | <u>4287299</u> | 150    | 05/13/1980 | PROCESS FOR THE PRODUCTION OF MATTING LAYERS  | BRUCK, ROLF   |
| <u>07593675</u> | <u>5195239</u> | 250    | 10/05/1990 | METHOD FOR ASSEMBLING SHAFTS  | BRUCK, ROLF   |
| <u>07779365</u> | Not Issued     | 161    | 10/17/1991 | DIESEL-SOOT FILTER WITH ADDITIONAL DEVICE FOR REDUCING OXIDES OF NITROGEN AND/OR OXIDIZING CARBON MONOXIDE  | BRUCK, ROLF   |
| <u>07947722</u> | <u>5255511</u> | 150    | 09/18/1992 | METHOD AND APPARATUS FOR OPERATIONAL MONITORING OF A CATALYTIC CONVERTER OF AN INTERNAL COMBUSTION ENGINE AND A CATALYTIC CONVERTER TO BE MONITORED | BRUCK, ROLF   |
| <u>07947726</u> | <u>5307626</u> | 150    | 09/18/1992 | METHOD AND APPARATUS FOR CONTROLLING AN INTERNAL COMBUSTION ENGINE, USING THE CURRENT TEMPERATURE OF A DOWNSTREAM CATALYTIC CONVERTER               | BRUCK, ROLF   |
| <u>08018725</u> | <u>5294411</u> | 250    | 02/17/1993 | HONEYCOMB BODY WITH HEATABLE CATALYTIC ACTIVE COATING   | BRUCK, ROLF   |
|                 |                |        |            |   |               |

|                          |                         |     |            |  |             |
|--------------------------|-------------------------|-----|------------|--|-------------|
| <a href="#">08024656</a> | <a href="#">5339628</a> | 150 | 03/01/1993 | METHOD FOR MONITORING THE CATALYTIC ACTIVITY OF A CATALYTIC CONVERTER IN THE EXHAUST GAS SYSTEM OF AN INTERNAL COMBUSTION ENGINE | BRUCK, ROLF |
| <a href="#">08024659</a> | <a href="#">5355671</a> | 250 | 03/01/1993 | METHOD AND APPARATUS FOR MONITORING THE FUNCTION OF A CATALYTIC CON- VERTER  | BRUCK, ROLF |
| <a href="#">08061170</a> | <a href="#">5417062</a> | 150 | 05/12/1993 | HEATABLE CATALYTIC CONVERTER CONFIGURATION FOR CLEANING THE EXHAUST GASES OF INTERNAL COMBUSTION ENGINES                         | BRUCK, ROLF |
| <a href="#">08073105</a> | <a href="#">5342783</a> | 250 | 06/07/1993 | METHOD FOR DETECTING A REACTION ZONE IN A CATALYTIC CONVERTER  | BRUCK, ROLF |
| <a href="#">08091613</a> | <a href="#">5464679</a> | 150 | 07/14/1993 | METAL HONEYCOMB BODY OF INTERTWINED SHEET-METAL LAYERS, AND METHOD FOR ITS PRODUCTION  | BRUCK, ROLF |
| <a href="#">08101455</a> | <a href="#">5370943</a> | 150 | 08/02/1993 | HONEYCOMB BODY WITH NONHOMOGENEOUS ELECTRIC HEATING  | BRUCK, ROLF |
| <a href="#">08101493</a> | Not Issued              | 166 | 08/02/1993 | HONEYCOMB BODY WITH A PLURALITY OF DISKS BRACED AGAINST ONE ANOTHER  | BRUCK, ROLF |
| <a href="#">08135265</a> | <a href="#">5382774</a> | 150 | 10/12/1993 | ELECTRICALLY HEATABLE HONEYCOMB BODY   | BRUCK, ROLF |
| <a href="#">08156051</a> | Not Issued              | 161 | 11/22/1993 | HONEYCOMB BODY WITH HEATABLE CATALYTIC ACTIVE COATING  | BRUCK, ROLF |
| <a href="#">08175251</a> | <a href="#">5413767</a> | 150 | 12/27/1993 | MECHANICALLY STABILIZED HEATING CATALYST CONFIGURATION   | BRUCK, ROLF |
| <a href="#">08208012</a> | <a href="#">5686164</a> | 150 | 03/09/1994 | ELECTRICAL INSULATION OF STRUCTURES IN A HONEYCOMB BODY IN PARTICULAR AN ELECTRICALLY HEATABLE CATALYST CARRIER BODY             | BRUCK, ROLF |
| <a href="#">08208014</a> | <a href="#">5474746</a> | 150 | 03/09/1994 | CATALYST CARRIER BODY FOR EXHAUST SYSTEMS OF INTERNAL COMBUSTION   | BRUCK, ROLF |

|                 |                |     |            | ENGINES  |             |
|-----------------|----------------|-----|------------|--|-------------|
| <u>08247353</u> | <u>5428956</u> | 150 | 05/23/1994 | METHOD FOR MONITORING THE CATALYTIC ACTIVITY OF A CATALYTIC CONVERTER IN THE EXHAUST GAS SYSTEM OF AN INTERNAL COMBUSTION ENGINE | BRUCK, ROLF |
| <u>08263144</u> | <u>5468455</u> | 150 | 06/21/1994 | HONEYCOMB BODY WITH AN INTERNAL STRUCTURE THAT IS RETAINED IN A FRAME AND A METHOD OF PRODUCING THE SAME                         | BRUCK, ROLF |
| <u>08270384</u> | <u>5433072</u> | 250 | 07/05/1994 | ASSEMBLY FOR REGULATING AND/OR MONITORING THE ELECTRIC HEATING OF A CATALYTIC CONVERTER SYSTEM                                   | BRUCK, ROLF |
| <u>08287780</u> | <u>5694770</u> | 150 | 08/09/1994 | METHOD AND ASSEMBLY FOR OPERATING AN ELECTRICAL HEATER OF A CATALYTIC CONVERTER SYSTEM   | BRUCK, ROLF |
| <u>08316642</u> | <u>5506028</u> | 150 | 09/30/1994 | CONICAL HONEYCOMB BODY   | BRUCK, ROLF |
| <u>08317179</u> | Not Issued     | 161 | 11/22/1993 | HONEYCOMB BODY WITH HEATABLE CATALYTIC ACTIVE COATING  | BRUCK, ROLF |
| <u>08353964</u> | <u>5525309</u> | 150 | 12/12/1994 | HONEYCOMB BODY WITH A PLURALITY OF DISKS BRACED AGAINST ONE ANOTHER  | BRUCK, ROLF |
| <u>08390676</u> | <u>5610844</u> | 150 | 02/17/1995 | METHOD OF MONITORING THE OPERATION OF A CATALYTIC CONVERTER  | BRUCK, ROLF |
| <u>08458493</u> | <u>5588291</u> | 250 | 06/02/1995 | METHOD FOR CONTROLLING THE HEATING OF AN ELECTRICALLY HEATABLE CATALYTIC CONVERTER   | BRUCK, ROLF |
| <u>08484522</u> | <u>5560200</u> | 150 | 06/07/1995 | METHOD AND APPARATUS FOR FUNCTIONAL MONITORING OF A CATALYTIC CONVERTER  | BRUCK, ROLF |
| <u>08484523</u> | <u>5643484</u> | 150 | 06/07/1995 | ELECTRICALLY HEATABLE HONEYOMB BODY WITH RESISTANCE INCREASED BY SLITS   | BRUCK, ROLF |
| <u>08484664</u> | <u>5585073</u> | 150 | 06/07/1995 | ELECTRICALLY HEATED CATALYTIC CONVERTER  | BRUCK, ROLF |

|                 |                |     |            |   |             |
|-----------------|----------------|-----|------------|---|-------------|
| <u>08504768</u> | <u>5608968</u> | 150 | 07/20/1995 | METHOD OF MAKING A METAL HONEYCOMB BODY OF INTERIWINED SHEET-METAL LAYERS   | BRUCK, ROLF |
| <u>08564416</u> | Not Issued     | 168 | 11/29/1995 | HONEYCOMB BODY WITH A PLURALITY OF DISKS BRACED AGAINST ONE ANOTHER   | BRUCK, ROLF |
| <u>08587296</u> | Not Issued     | 166 | 01/16/1996 | HONEYCOMB BODY WITH A PLURALITY OF DISKS BRACED AGAINST ONE ANOTHER   | BRUCK, ROLF |
| <u>08761527</u> | <u>5785931</u> | 150 | 12/06/1996 | METAL HONEYCOMB BODY OF INTERTWINED SHEET-METAL LAYERS, AND METHOD FOR ITS PRODUCTION   | BRUCK, ROLF |
| <u>08789488</u> | <u>5751602</u> | 150 | 01/27/1997 | METHOD OF MONITORING THE OPERATION OF A CATALYTIC CONVERTER   | BRUCK, ROLF |
| <u>08805330</u> | <u>5887426</u> | 150 | 02/24/1997 | EXHAUST GAS SYSTEM FOR AN INTERNAL COMBUSTION ENGINE UTILIZING A HEATED CATALYST WITHIN A HOUSING, WHEREIN THE HOUSING IS ELECTRICALLY ISOLATED FROM THE EXHAUST GAS SYSTEM | BRUCK, ROLF |
| <u>08808784</u> | <u>5916530</u> | 150 | 02/28/1997 | CATALYTIC REACTOR   | BRUCK, ROLF |
| <u>08824443</u> | <u>5902558</u> | 150 | 03/26/1997 | DISKWISE-CONSTRUCTED HONEYCOMB BODY, IN PARTICULAR CATALYST CARRIER BODY AND APPARATUS FOR CATALYTIC CONVERSION OF EXHAUST GASES  | BRUCK, ROLF |
| <u>08825497</u> | <u>5768889</u> | 150 | 03/28/1997 | DEVICE FOR CATALYTICALLY CONVERTING EXHAUST GASES IN AN EXHAUST SYSTEM  | BRUCK, ROLF |
| <u>08843804</u> | <u>6274099</u> | 150 | 04/21/1997 | DEVICE FOR CATALYTIC CONVERSION OF EXHAUST GASES IN AN EXHAUST SYSTEM AND PROCESS FOR MANUFACTURING SUCH A DEVICE   | BRUCK, ROLF |
| <u>08917572</u> | <u>5865864</u> | 150 | 08/20/1997 | HONEYCOMB BODY HAVING CHANNELS OF DIFFERENT   | BRUCK, ROLF |

|                 |                |     |            |  |             |
|-----------------|----------------|-----|------------|--|-------------|
|                 |                |     |            | FLOW RESISTANCE THROUGH WHICH A FLUID CAN FLOW AND APPARATUS HAVING THE HONEYCOMB BODY FOR CLEANING EXHAUST GAS                                      |             |
| <u>08986368</u> | <u>5887427</u> | 150 | 12/08/1997 | ELECTRICALLY INSULATING GAS TIGHT PENETRATION  | BRUCK, ROLF |
| <u>09037000</u> | <u>6025578</u> | 150 | 03/09/1998 | ELECTRICALLY INSULATING LEAD-THROUGH ASSEMBLY WITH ELECTROCORROSION PROTECTION   | BRUCK, ROLF |
| <u>09055656</u> | Not Issued     | 161 | 04/06/1998 | ELECTRICALLY HEATABLE HONEYCOMB BODY WITH STIFFENED CURRENT DISTRIBUTION STRUCTURES  | BRUCK, ROLF |
| <u>09096979</u> | <u>6200538</u> | 250 | 06/12/1998 | EXHAUST GAS SYSTEM SUITABLE FOR RETROFITTING EXHAUST GAS CATALYTIC CONVERTERS IN MOTORCYCLES   | BRUCK, ROLF |
| <u>09158249</u> | Not Issued     | 161 | 09/22/1998 | PROCESS FOR PRODUCING A HONEYCOMB BODY FOR EXHAUST GAS CATALYTIC CONVERTERS AND BRAZED HONEYCOMB BODY FOR EXHAUST GAS CATALYTIC CONVERTERS           | BRUCK, ROLF |
| <u>09205623</u> | Not Issued     | 161 | 12/04/1998 | DEVICE AND METHOD FOR FORMING AN ELECTRICAL CONNECTION   | BRUCK, ROLF |
| <u>09221781</u> | <u>6190784</u> | 150 | 12/28/1998 | CONICAL HONEYCOMB BODY WITH LONGITUDINAL STRUCTURES  | BRUCK, ROLF |
| <u>09264275</u> | <u>5983692</u> | 150 | 03/08/1999 | PROCESS AND APPARATUSES FOR PRODUCING A METAL SHEET WITH A CORRUGATION CONFIGURATION AND A MICROSTRUCTURE DISPOSED TRANSVERSELY WITH RESPECT THERETO | BRUCK, ROLF |

[Search and Display More Records.](#)

**Search Another: Inventor**

|                                    |                                   |                                       |
|------------------------------------|-----------------------------------|---------------------------------------|
| <b>Last Name</b>                   | <b>First Name</b>                 | <input type="button" value="Search"/> |
| <input type="text" value="bruck"/> | <input type="text" value="rolf"/> |                                       |

To go back use Back button on your browser toolbar.



Day : Tuesday  
Date: 11/28/2006


**PALM INTRANET**

Time: 07:07:09

**Inventor Name Search Result**

Your Search was:

Last Name = BRUCK

First Name = ROLF

| Application#             | Patent#                 | Status | Date Filed | Title   | Inventor Name |
|--------------------------|-------------------------|--------|------------|---|---------------|
| <a href="#">09277283</a> | <a href="#">6254837</a> | 150    | 03/26/1999 | HONEYCOMB BODY OF REDUCED THERMAL CONDUCTIVITY IN THE INTAKE AND OUTLET REGIONS   | BRUCK, ROLF   |
| <a href="#">09286689</a> | <a href="#">6040064</a> | 150    | 04/05/1999 | HONEYCOMB BODY WITH THERMAL INSULATION, PREFERABLY FOR AN EXHAUST GAS CATALYTIC CONVERTER   | BRUCK, ROLF   |
| <a href="#">09302654</a> | <a href="#">6286353</a> | 150    | 04/30/1999 | PROCESS FOR PRODUCING AT LEAST ONE STRUCTURED METAL SHEET, PROCESS FOR PRODUCING A LAMINATED METAL SHEET PACK AND APPARATUS FOR PRODUCING STRUCTURED METAL SHEETS | BRUCK, ROLF   |
| <a href="#">09309181</a> | <a href="#">6403039</a> | 150    | 05/10/1999 | CATALYTIC CONVERTER FOR A SMALL ENGINE AND METHOD FOR MANUFACTURING THE SAME  | BRUCK, ROLF   |
| <a href="#">09368137</a> | <a href="#">6391421</a> | 150    | 08/04/1999 | EXTRUDED HONEYCOMB BODY, IN PARTICULAR A CATALYTIC CONVERTER CARRIER BODY, WITH REINFORCED WALL STRUCTURE   | BRUCK, ROLF   |
| <a href="#">09369717</a> | <a href="#">6226867</a> | 150    | 08/06/1999 | METHOD FOR PRODUCING A HONEYCOMB BODY   | BRUCK, ROLF   |
| <a href="#">09370233</a> | <a href="#">6109386</a> | 150    | 08/09/1999 | HONEYCOMB BODY WITH A FLATTENED CROSS-SECTIONAL REGION AND A  | BRUCK, ROLF   |

|                 |                |     |            |  |             |
|-----------------|----------------|-----|------------|--|-------------|
|                 |                |     |            | METHOD FOR PRODUCING THE HONEYCOMB BODY  |             |
| <u>09440740</u> | <u>6519930</u> | 150 | 11/16/1999 | METHOD AND CONFIGURATION FOR MONITORING AN NOX-STORAGE DEVICE  | BRUCK, ROLF |
| <u>09450399</u> | <u>6821491</u> | 150 | 11/29/1999 | MUFFLER AND ASSOCIATED ASSEMBLY HAVING A CATALYST CARRIER BODY AND A RETAINING ELEMENT AND METHOD FOR PRODUCING THE ASSEMBLY       | BRUCK, ROLF |
| <u>09456680</u> | Not Issued     | 161 | 12/09/1999 | METALLIC CATALYST CARRIER BODY FOR CLEANING AN EXHAUST GAS FLOW, IN PARTICULAR FROM A SMALL ENGINE                                 | BRUCK, ROLF |
| <u>09460349</u> | <u>6276595</u> | 150 | 12/13/1999 | PROCESS AND GAS-PERMEABLE BRAZING FOIL FOR THE PRODUCTION OF A METALLIC HONEYCOMB BODY   | BRUCK, ROLF |
| <u>09539244</u> | <u>6316384</u> | 250 | 03/30/2000 | Honeycomb body configuration with support sections   | BRUCK, ROLF |
| <u>09556662</u> | <u>6854263</u> | 150 | 04/24/2000 | METHOD AND DEVICE FOR REGULATING THE TEMPERATURE RANGE OF AN NOX ACCUMULATOR IN AN EXHAUST SYSTEM OF AN INTERNAL COMBUSTION ENGINE | BRUCK, ROLF |
| <u>09566932</u> | <u>6528454</u> | 150 | 05/08/2000 | CATALYST CARRIER BODY WITH EXPOSED HEAT-RADIATING SURFACES   | BRUCK, ROLF |
| <u>09583790</u> | <u>6397588</u> | 150 | 05/31/2000 | CATALYTIC CONVERTER FOR CLEANING EXHAUST GAS AND EXHAUST GAS PURIFICATION ASSEMBLY WITH A CATALYTIC CONVERTER                      | BRUCK, ROLF |
| <u>09613036</u> | Not Issued     | 161 | 07/10/2000 | Configuration for cleaning a stream of exhaust gas from an internal combustion engine and method for operating the configuration   | BRUCK, ROLF |
| <u>09616619</u> | <u>6315076</u> | 150 | 07/14/2000 | Catalytic converter for a muffler of a small engine  | BRUCK, ROLF |

|                 |                |     |            |  |             |
|-----------------|----------------|-----|------------|--|-------------|
| <u>09637590</u> | <u>6446431</u> | 150 | 08/14/2000 | CONFIGURATION FOR CONVERTING AT LEAST ONE EXHAUST EMISSION COMPONENT OF AN EXHAUST EMISSION FLOW FROM AN INTERNAL COMBUSTION ENGINE AND METHOD FOR OPERATING THE CONFIGURATION | BRUCK, ROLF |
| <u>09677325</u> | <u>6656435</u> | 150 | 09/29/2000 | HONEYCOMB BODY WITH ADSORBER MATERIAL, IN PARTICULAR, FOR A HYDROCARBON TRAP   | BRUCK, ROLF |
| <u>09694439</u> | <u>6516607</u> | 150 | 10/23/2000 | METHOD AND DEVICE FOR CLEANING EXHAUST GAS CONTAINING NITROGEN OXIDE FROM AN INTERNAL COMBUSTION ENGINE  | BRUCK, ROLF |
| <u>09699586</u> | <u>6558832</u> | 150 | 10/30/2000 | FUEL CELL MODULE   | BRUCK, ROLF |
| <u>09699836</u> | Not Issued     | 161 | 10/30/2000 | Electrode for a fuel cell, and a fuel cell   | BRUCK, ROLF |
| <u>09699838</u> | <u>6376118</u> | 150 | 10/30/2000 | Fuel cell having an electrode with gas - permeable pores   | BRUCK, ROLF |
| <u>09699971</u> | <u>6582847</u> | 150 | 10/30/2000 | METHOD FOR PRODUCING AN ELECTRODE, AND ELECTRODE FOR A FUEL CELL   | BRUCK, ROLF |
| <u>09702025</u> | <u>6630258</u> | 150 | 10/30/2000 | PROCESS FOR WETTING AT LEAST ONE OF THE SURFACES OF AN ELECTROLYTE IN A FUEL CELL  | BRUCK, ROLF |
| <u>09707551</u> | <u>6460667</u> | 150 | 11/07/2000 | SUPPORT ASSEMBLY HAVING A SUPPORTING STRUCTURE AND A DEFORMATION ELEMENT FOR OBLIQUE INTRODUCTION OF FORCE, VEHICLE BUMPER SYSTEM AND METHOD OF PRODUCING A SUPPORT ASSEMBLY   | BRUCK, ROLF |
| <u>09707554</u> | Not Issued     | 161 | 11/07/2000 | Support assembly having a supporting structure and a deformation element with a shortened residual block length  | BRUCK, ROLF |
| <u>09707556</u> | <u>6439358</u> | 150 | 11/07/2000 | SUPPORT ASSEMBLY HAVING  | BRUCK, ROLF |

|                 |                |     |            |   |             |
|-----------------|----------------|-----|------------|---|-------------|
|                 |                |     |            | A DEFORMATION ELEMENT WITH RADIAL DEFORMATION LIMITERS  |             |
| <u>09711868</u> | <u>6827909</u> | 150 | 11/13/2000 | CATALYTIC CONVERTER, DIESEL ENGINE AND LEAN-BURN ENGINE HAVING A CATALYTIC CONVERTER  | BRUCK, ROLF |
| <u>09722082</u> | <u>6365283</u> | 150 | 11/27/2000 | Monolithic metallic honeycomb body with a varying number of channels and method for manufacturing the honeycomb body        | BRUCK, ROLF |
| <u>09771452</u> | <u>6571458</u> | 150 | 01/26/2001 | APPARATUS FOR PRODUCING A HONEYCOMB BODY  | BRUCK, ROLF |
| <u>09907721</u> | Not Issued     | 161 | 07/18/2001 | Method and configuration for cleaning an exhaust-gas flow flowing in an exhaust system of a gasoline engine                 | BRUCK, ROLF |
| <u>09946760</u> | Not Issued     | 161 | 09/04/2001 | Catalytic converter configuration with catalyst carrier bodies and device and method for the manufacture thereof            | BRUCK, ROLF |
| <u>09962693</u> | Not Issued     | 161 | 09/24/2001 | Catalytic converter body with reduced wall thickness on an inflow side and process for producing a catalytic converter body | BRUCK, ROLF |
| <u>09998724</u> | Not Issued     | 61  | 11/30/2001 | Ceramic honeycomb body with intercalation and method for producing the same   | BRUCK, ROLF |
| <u>10014265</u> | Not Issued     | 123 | 11/07/2001 | Combustion engine assembly with a small volume catalytic converter  | BRUCK, ROLF |
| <u>10042057</u> | Not Issued     | 161 | 01/07/2002 | Fuel cell installation and method for operating a fuel cell installation  | BRUCK, ROLF |
| <u>10078147</u> | Not Issued     | 161 | 02/19/2002 | Mixing element for a fluid guided in a pipe and pipe having at least one mixing element disposed therein                    | BRUCK, ROLF |
| <u>10096694</u> | <u>6513324</u> | 150 | 03/13/2002 | DEVICE WITH HEATING ELEMENT FOR EXHAUST GAS CLEANING  | BRUCK, ROLF |
| <u>10105553</u> | Not Issued     | 161 | 03/25/2002 | Fuel cell installation and associated operating method  | BRUCK, ROLF |
| <u>10113634</u> | Not            | 161 | 03/27/2002 | Method and device for producing a   | BRUCK, ROLF |

|                          |            |     |            |   |             |
|--------------------------|------------|-----|------------|---|-------------|
|                          | Issued     |     |            | corrugated sheet having a corrugation   |             |
| <a href="#">10134944</a> | Not Issued | 161 | 04/29/2002 | Honeycomb body having a multilayer shell  | BRUCK, ROLF |
| <a href="#">10178255</a> | Not Issued | 164 | 06/24/2002 | FUEL CELL INSTALLATION AND METHOD FOR OPERATING THE FUEL CELL INSTALLATION              | BRUCK, ROLF |
| <a href="#">10178643</a> | Not Issued | 164 | 06/24/2002 | FUEL CELL INSTALLATION FOR USE AS A DRIVE UNIT FOR A VEHICLE AND OPERATING METHOD       | BRUCK, ROLF |
| <a href="#">10178644</a> | Not Issued | 161 | 06/24/2002 | Fuel cell installation for driving a vehicle  | BRUCK, ROLF |
| <a href="#">10178647</a> | Not Issued | 161 | 06/24/2002 | Fuel cell stack and method for assembling a fuel cell stack                             | BRUCK, ROLF |
| <a href="#">10192178</a> | Not Issued | 161 | 07/10/2002 | Thermally insulated exhaust-gas cleaning installation                                   | BRUCK, ROLF |
| <a href="#">10210980</a> | Not Issued | 161 | 08/02/2002 | Combination of honeycomb body and heat accumulator and method for the operation thereof | BRUCK, ROLF |
| <a href="#">10215455</a> | Not Issued | 161 | 08/09/2002 | Transversely loadable composite of structural part and deformation element              | BRUCK, ROLF |
| <a href="#">10238429</a> | Not Issued | 161 | 09/09/2002 | Method and apparatus for the removal of excess coating material from a honeycomb body   | BRUCK, ROLF |

[Search and Display More Records.](#)

---

|                                 |                                    |                                   |                                       |
|---------------------------------|------------------------------------|-----------------------------------|---------------------------------------|
|                                 | <b>Last Name</b>                   | <b>First Name</b>                 |                                       |
| <b>Search Another: Inventor</b> | <input type="text" value="bruck"/> | <input type="text" value="rolf"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday  
Date: 11/28/2006


**PALM INTRANET**

Time: 07:07:27

**Inventor Name Search Result**

Your Search was:

Last Name = BRUCK

First Name = ROLF

| Application#             | Patent#    | Status | Date Filed | Title   | Inventor Name |
|--------------------------|------------|--------|------------|---|---------------|
| <a href="#">10271421</a> | 6673466    | 150    | 10/15/2002 | HOUSING WITH A PASSIVATION LAYER, CATALYST CARRIER BODY WITH A HOUSING AND METHOD FOR PRODUCING A CATALYST CARRIER BODY WITH SUCH A HOUSING | BRUCK, ROLF   |
| <a href="#">10281003</a> | Not Issued | 120    | 10/25/2002 | Method for removing soot particles from an exhaust gas, associated collecting element and system  | BRUCK, ROLF   |
| <a href="#">10289088</a> | Not Issued | 121    | 11/06/2002 | Open filter body with improved flow properties  | BRUCK, ROLF   |
| <a href="#">10302209</a> | 6840984    | 150    | 11/22/2002 | DEVICE FOR ADSORBING AT LEAST ONE COMPONENT OF AN EXHAUST GAS   | BRUCK, ROLF   |
| <a href="#">10307957</a> | 6787002    | 150    | 12/02/2002 | COMPACT PLASMA REACTOR  | BRUCK, ROLF   |
| <a href="#">10308054</a> | 6701706    | 150    | 12/02/2002 | EXHAUST-GAS PURIFICATION SYSTEM WITH DELAYED RECORDING OF MEASURED VALUES AND METHOD FOR DETERMINING POLLUTANT CONCENTRATION IN EXHAUST GAS | BRUCK, ROLF   |
| <a href="#">10308078</a> | Not Issued | 60     | 12/02/2002 | Casing tube with thermally insulating beads   | BRUCK, ROLF   |
| <a href="#">10310265</a> | Not Issued | 61     | 12/02/2002 | Particle trap and assemblies and exhaust tracts having the particle trap  | BRUCK, ROLF   |
| <a href="#">10310928</a> | Not Issued | 71     | 12/05/2002 | Metal sheet with barrier for a honeycomb body and metallic honeycomb body   | BRUCK, ROLF   |
|                          |            |        |            |   |               |

|                                 |                                |     |            |  |             |
|---------------------------------|--------------------------------|-----|------------|--|-------------|
| <a href="#"><u>10329972</u></a> | Not Issued                     | 161 | 12/26/2002 | Configuration and method for switching off at least one stationary-vehicle current apparatus   | BRUCK, ROLF |
| <a href="#"><u>10329973</u></a> | Not Issued                     | 161 | 12/26/2002 | Method for operating a polymer electrolyte membrane fuel cell system, and an associated PEM fuel cell system                               | BRUCK, ROLF |
| <a href="#"><u>10330442</u></a> | <a href="#"><u>6712884</u></a> | 150 | 12/27/2002 | PARTICLE TRAP AND PROCESS FOR SEPARATING PARTICLES OUT OF AN EXHAUST GAS FLOW AND HONEYCOMB BODY AND EXHAUST SYSTEM HAVING A PARTICLE TRAP | BRUCK, ROLF |
| <a href="#"><u>10378245</u></a> | Not Issued                     | 41  | 03/03/2003 | Assembly having a honeycomb body and a shortened, slit, inner casing tube  | BRUCK, ROLF |
| <a href="#"><u>10381799</u></a> | Not Issued                     | 30  | 07/23/2003 | Gas sensor   | BRUCK, ROLF |
| <a href="#"><u>10385761</u></a> | Not Issued                     | 61  | 03/11/2003 | Fuel cell facility and method for operating a fuel cell facility   | BRUCK, ROLF |
| <a href="#"><u>10386954</u></a> | Not Issued                     | 161 | 03/12/2003 | Fuel cell system with improved reaction gas utilization  | BRUCK, ROLF |
| <a href="#"><u>10388025</u></a> | Not Issued                     | 160 | 03/13/2003 | Honeycomb assembly having a honeycomb body with a segmented tubular casing   | BRUCK, ROLF |
| <a href="#"><u>10391843</u></a> | Not Issued                     | 41  | 03/18/2003 | Heatable honeycomb body with two different coatings  | BRUCK, ROLF |
| <a href="#"><u>10393034</u></a> | Not Issued                     | 41  | 03/20/2003 | Catalyst assembly with a fixed catalyst carrier body   | BRUCK, ROLF |
| <a href="#"><u>10426518</u></a> | Not Issued                     | 161 | 04/30/2003 | Fuel cell system for consumers that are connected to a rechargeable battery  | BRUCK, ROLF |
| <a href="#"><u>10426520</u></a> | Not Issued                     | 161 | 04/30/2003 | Fuel cell system for a vehicle, in particular a motor vehicle  | BRUCK, ROLF |
| <a href="#"><u>10426522</u></a> | Not Issued                     | 161 | 04/30/2003 | Method for operating an HT-PEM fuel cell system, and associated fuel cell system   | BRUCK, ROLF |
| <a href="#"><u>10426525</u></a> | Not Issued                     | 93  | 04/30/2003 | SMALL-VOLUME NOX ADSORBER  | BRUCK, ROLF |
| <a href="#"><u>10426526</u></a> | Not Issued                     | 161 | 04/30/2003 | Fuel cell system   | BRUCK, ROLF |
| <a href="#"><u>10426822</u></a> | Not Issued                     | 161 | 04/30/2003 | Method for regenerating carbon monoxide poisoning in high  | BRUCK, ROLF |

|                 |                |     |            |  |             |
|-----------------|----------------|-----|------------|--|-------------|
|                 |                |     |            | temperature PEM fuel cells, and fuel cell installation   |             |
| <u>10438372</u> | Not Issued     | 41  | 05/14/2003 | Radial-flow and segmented honeycomb body   | BRUCK, ROLF |
| <u>10440780</u> | Not Issued     | 160 | 05/19/2003 | Fuel cell system   | BRUCK, ROLF |
| <u>10441670</u> | Not Issued     | 71  | 05/20/2003 | Method and multi-stage shift reactor for reducing the carbon monoxide content in a hydrogen-containing gas stream, and reformer installation | BRUCK, ROLF |
| <u>10457729</u> | Not Issued     | 80  | 06/09/2003 | Reformer installation with heat shield   | BRUCK, ROLF |
| <u>10609801</u> | Not Issued     | 160 | 06/30/2003 | Fuel cell system for a motor vehicle   | BRUCK, ROLF |
| <u>10609807</u> | Not Issued     | 161 | 06/30/2003 | Fuel cell system for mobile applications with latent heat storage, and method for thermally insulating the fuel cell system                  | BRUCK, ROLF |
| <u>10609809</u> | Not Issued     | 161 | 06/30/2003 | Method for operating a fuel cell system which can be used in a vehicle, and associated fuel cell system                                      | BRUCK, ROLF |
| <u>10609830</u> | <u>6899062</u> | 150 | 06/30/2003 | COOLING SYSTEM FOR A FUEL CELL MODULE AS PART OF AN ON-BOARD POWER SUPPLY  | BRUCK, ROLF |
| <u>10609886</u> | Not Issued     | 161 | 06/30/2003 | Motor vehicle comprising an electric motor drive and an on-board power supply  | BRUCK, ROLF |
| <u>10610188</u> | Not Issued     | 161 | 06/30/2003 | Fuel cell system   | BRUCK, ROLF |
| <u>10619159</u> | Not Issued     | 161 | 07/14/2003 | Method for operating a reformer installation for providing hydrogen-enriched gas, and reformer installation                                  | BRUCK, ROLF |
| <u>10650054</u> | Not Issued     | 93  | 08/26/2003 | METHOD AND APPARATUS FOR PRODUCING A HONEYCOMB BODY, AND A HONEYCOMB BODY  | BRUCK, ROLF |
| <u>10653793</u> | <u>7111393</u> | 150 | 09/03/2003 | PROCESS FOR PRODUCING A METALLIC HONEYCOMB BODY WITH A RECEPTACLE FOR A SENSOR   | BRUCK, ROLF |
| <u>10653795</u> | Not            | 93  | 09/03/2003 | PROCESS FOR PRODUCING  | BRUCK, ROLF |



|                 |                |     |            |   |             |
|-----------------|----------------|-----|------------|---|-------------|
|                 | Issued         |     |            | EXTRUDED HONEYCOMB BODIES AND EXTRUSION DIE   |             |
| <u>10680378</u> | <u>7131198</u> | 150 | 10/06/2003 | PROCESS AND DEVICE FOR PRODUCING METALLIC HONEYCOMB BODIES USING RADIATION HEATERS  | BRUCK, ROLF |
| <u>10680380</u> | Not Issued     | 71  | 10/06/2003 | Process for producing a one-piece, structured metal foil having a hole, metal foil and honeycomb body   | BRUCK, ROLF |
| <u>10685066</u> | Not Issued     | 161 | 10/14/2003 | Exhaust system  | BRUCK, ROLF |
| <u>10762151</u> | Not Issued     | 30  | 01/20/2004 | Honeycomb body having a spring/damper system and method for producing the honeycomb body  | BRUCK, ROLF |
| <u>10770761</u> | Not Issued     | 164 | 02/02/2004 | HONEYCOMB ASSEMBLY HAVING A HONEYCOMB BODY WITH AN EXPANSION-COMPENSATING MOUNTING, ESPECIALLY FOR AN EXHAUST-GAS CATALYTIC CONVERTER         | BRUCK, ROLF |
| <u>10823986</u> | <u>7128772</u> | 150 | 04/13/2004 | FILTER ASSEMBLY, PROCESS FOR PRODUCING THE FILTER ASSEMBLY AND FILTER BODY HAVING THE FILTER ASSEMBLY   | BRUCK, ROLF |
| <u>10828813</u> | Not Issued     | 71  | 04/20/2004 | Heat-resistant filter layer, filter body, and process for producing the filter layer and the filter body                                      | BRUCK, ROLF |
| <u>10845663</u> | Not Issued     | 30  | 05/14/2004 | Honeycomb body, exhaust system having the honeycomb body and method for muffling sound in the exhaust system of an internal combustion engine | BRUCK, ROLF |
| <u>10859426</u> | <u>7108168</u> | 150 | 06/02/2004 | HONEYCOMB STRUCTURE AND METHOD FOR APPLYING ADHESIVE AND BRAZING MATERIAL TO THE STRUCTURE  | BRUCK, ROLF |
| <u>10912302</u> | Not Issued     | 120 | 08/04/2004 | Exhaust system  | BRUCK, ROLF |
| <u>10931425</u> | Not Issued     | 30  | 09/01/2004 | Process for producing a honeycomb body with a flange piece for a measurement sensor,  | BRUCK, ROLF |

|  |  |  |  |                                      |  |
|--|--|--|--|--------------------------------------|--|
|  |  |  |  | and corresponding hnoneycomb<br>body |  |
|--|--|--|--|--------------------------------------|--|

[Search and Display More Records.](#)

**Search Another: Inventor**

| Last Name                          | First Name                        |                                       |
|------------------------------------|-----------------------------------|---------------------------------------|
| <input type="text" value="bruck"/> | <input type="text" value="rolf"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday  
Date: 11/28/2006

Time: 07:07:36



**PALM INTRANET**

## Inventor Name Search Result

Your Search was:

Last Name = BRUCK

First Name = ROLF

| Application#             | Patent#    | Status | Date Filed | Title   | Inventor Name |
|--------------------------|------------|--------|------------|---|---------------|
| <a href="#">10964419</a> | 7090892    | 150    | 10/13/2004 | METHOD AND APPARATUS FOR THE REMOVAL OF EXCESS COATING MATERIAL FROM A HONEYCOMB BODY   | BRUCK, ROLF   |
| <a href="#">11029450</a> | Not Issued | 30     | 01/05/2005 | Process and apparatus for spatially inhomogeneously coating a honeycomb body and inhomogeneously coated honeycomb body        | BRUCK, ROLF   |
| <a href="#">11049550</a> | Not Issued | 93     | 02/02/2005 | EXHAUST GAS FILTER WITH AT LEAST ONE FILTER LAYER AND METHOD FOR PRODUCING A FILTER LAYER                                     | BRUCK, ROLF   |
| <a href="#">11049551</a> | Not Issued | 41     | 02/02/2005 | Exhaust gas filter and method for cleaning an exhaust gas   | BRUCK, ROLF   |
| <a href="#">11058991</a> | 7083860    | 150    | 02/16/2005 | METALLIC HONEYCOMB BODY HAVING AT LEAST PARTIALLY PERFORATED SHEET-METAL LAYERS   | BRUCK, ROLF   |
| <a href="#">11063213</a> | Not Issued | 80     | 02/22/2005 | Process and apparatus for producing honeycomb bodies and honeycomb body produced by the process                               | BRUCK, ROLF   |
| <a href="#">11135039</a> | Not Issued | 61     | 05/23/2005 | Exhaust gas system  | BRUCK, ROLF   |
| <a href="#">11146369</a> | Not Issued | 30     | 06/06/2005 | High-temperature-resistant coated fiber layer and particulate trap with the coated fiber layer                                | BRUCK, ROLF   |
| <a href="#">11181420</a> | Not Issued | 30     | 07/14/2005 | Space-saving exhaust-gas aftertreatment unit with inflow and return-flow regions lying one inside the other and gas inlet and | BRUCK, ROLF   |

|                 |            |     |            |  |             |
|-----------------|------------|-----|------------|--|-------------|
|                 |            |     |            | outlet on the same side  |             |
| <u>11226845</u> | Not Issued | 20  | 09/14/2005 | Multi-line exhaust system having at least one measurement sensor, honeycomb body having a recess for at least one measurement sensor, and method for operating a multi-line exhaust system | BRUCK, ROLF |
| <u>11254389</u> | Not Issued | 61  | 10/20/2005 | PEM fuel cell system   | BRUCK, ROLF |
| <u>11270059</u> | Not Issued | 161 | 11/09/2005 | Method for regenerating a particle trap and exhaust system   | BRUCK, ROLF |
| <u>11291003</u> | Not Issued | 20  | 11/30/2005 | Method for producing a structured metal sheet for exhaust-gas treatment devices and apparatus for producing the structured metal sheet   | BRUCK, ROLF |
| <u>11318932</u> | Not Issued | 30  | 12/27/2005 | Exhaust gas after-treatment unit with countercurrent housing and corresponding process for exhaust gas after-treatment   | BRUCK, ROLF |
| <u>11352808</u> | Not Issued | 30  | 02/13/2006 | Roller seam welded body for exhaust gas treatment and process for producing the body   | BRUCK, ROLF |
| <u>11393960</u> | Not Issued | 25  | 03/30/2006 | Coated honeycomb body assembly with measurement sensor and exhaust system having the assembly  | BRUCK, ROLF |
| <u>11396991</u> | Not Issued | 30  | 04/03/2006 | Process for producing a metallic honeycomb body with a layer length difference   | BRUCK, ROLF |
| <u>11451029</u> | Not Issued | 20  | 06/12/2006 | Honeycomb body having at least one space-saving measurement sensor, and corresponding lambda sensor  | BRUCK, ROLF |
| <u>11483702</u> | Not Issued | 30  | 07/10/2006 | Particle filter including a metallic fiber layer   | BRUCK, ROLF |
| <u>11523341</u> | Not Issued | 25  | 09/19/2006 | Honeycomb structure and method for applying adhesive and brazing material to the structure   | BRUCK, ROLF |
| <u>11545249</u> | Not Issued | 19  | 10/10/2006 | Gas probe with hygroscopically coated protective device, method of producing a gas probe and exhaust gas purification component and vehicle having a gas probe                             | BRUCK, ROLF |

|                          |                         |     |            |  |                |
|--------------------------|-------------------------|-----|------------|--|----------------|
| <a href="#">06579897</a> | <a href="#">4570468</a> | 250 | 12/23/1983 | DEVICE FOR LOCKING THE ROTATIONAL MOVEMENT OF A STEERING COLUMN OF A MOTOR VEHICLE | BRUCKNER, ROLF |
| <a href="#">07608432</a> | <a href="#">5079196</a> | 150 | 12/20/1990 | FIBER REINFORCED COMPOSITES AND PROCESS FOR MANUFACTURE                            | BRUCKNER, ROLF |
| <a href="#">07608446</a> | Not Issued              | 161 | 12/20/1990 | FIBER REINFORCED COMPOSITES AND PROCESS FOR MANUFACTURE                            | BRUCKNER, ROLF |
| <a href="#">07883921</a> | Not Issued              | 161 | 05/18/1992 | FIBER REINFORCED COMPOSITES AND PROCESS FOR MANUFACTURE                            | BRUCKNER, ROLF |
| <a href="#">08791639</a> | <a href="#">5911250</a> | 150 | 01/31/1997 | FILLING ADAPTER FOR A METERING DEVICE  | BRUCKNER, ROLF |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| Last Name                          | First Name                        |                                       |
|------------------------------------|-----------------------------------|---------------------------------------|
| <input type="text" value="bruck"/> | <input type="text" value="rolf"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Tuesday  
Date: 11/28/2006



# PALM INTRANET

Time: 07:08:06

## Inventor Name Search Result

Your Search was:

Last Name = ZIMMERMANN

First Name = JORG

| Application#             | Patent#                 | Status | Date Filed | Title  | Inventor Name    |
|--------------------------|-------------------------|--------|------------|--|------------------|
| <a href="#">09374521</a> | Not Issued              | 161    | 08/16/1999 | DEVICE FOR SAMPLING LIQUIDS  | ZIMMERMANN, JORG |
| <a href="#">10098113</a> | Not Issued              | 161    | 03/13/2002 | Oligomeric vinyl alcohol copolymers  | ZIMMERMANN, JORG |
| <a href="#">10438372</a> | Not Issued              | 41     | 05/14/2003 | Radial-flow and segmented honeycomb body   | ZIMMERMANN, JORG |
| <a href="#">10441670</a> | Not Issued              | 71     | 05/20/2003 | Method and multi-stage shift reactor for reducing the carbon monoxide content in a hydrogen-containing gas stream, and reformer installation | ZIMMERMANN, JORG |
| <a href="#">10525953</a> | Not Issued              | 30     | 11/29/2005 | Process for preparing biocompatible polyurea   | ZIMMERMANN, JORG |
| <a href="#">10606142</a> | <a href="#">6900251</a> | 150    | 06/25/2003 | DENTAL MATERIALS BASED ON ACRYLIC-ESTER PHOSPHONIC ACIDS   | ZIMMERMANN, JORG |
| <a href="#">10619159</a> | Not Issued              | 161    | 07/14/2003 | Method for operating a reformer installation for providing hydrogen-enriched gas, and reformer installation                                  | ZIMMERMANN, JORG |
| <a href="#">10656465</a> | Not Issued              | 41     | 09/05/2003 | Dental polymer film  | ZIMMERMANN, JORG |
| <a href="#">10680380</a> | Not Issued              | 71     | 10/06/2003 | Process for producing a one-piece, structured metal foil having a hole, metal foil and honeycomb body  | ZIMMERMANN, JORG |
| <a href="#">10928540</a> | Not Issued              | 30     | 08/27/2004 | Dental coating materials   | ZIMMERMANN, JORG |
| <a href="#">11211938</a> | Not Issued              | 25     | 08/25/2005 | Self-etching dental materials based on (METH) acrylamide phosphates  | ZIMMERMANN, JORG |

|                          |            |     |            |   |                  |
|--------------------------|------------|-----|------------|---|------------------|
| <a href="#">11212065</a> | Not Issued | 30  | 08/25/2005 | Hydrolysis-stable self-etching single-component dental adhesive                       | ZIMMERMANN, JORG |
| <a href="#">11292578</a> | Not Issued | 30  | 12/02/2005 | Surface-modified fillers  | ZIMMERMANN, JORG |
| <a href="#">11502420</a> | Not Issued | 30  | 08/11/2006 | Dental materials based on radically polymerizable macromers with antimicrobial effect | ZIMMERMANN, JORG |
| <a href="#">60444620</a> | Not Issued | 159 | 02/04/2003 | Process for preparing biocompatible polyurea  | ZIMMERMANN, JORG |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| Last Name                               | First Name                        |
|---|-----------------------------------|
| <input type="text" value="Zimmermann"/> | <input type="text" value="jorg"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)